

AMREF INTERNATIONAL UNIVERSITY SCHOOL OF MEDCIAL SCIENCES DEPARTMENT OF PHYSCOLOGY ADVANCED DIPLOMA IN MENTAL HEALTH PRACTICE END OF SEMESTER EXAMINATION APRIL 2022

Course Code: Course Title: Time: Date:

ADMHP 102 Assessment in Mental Health and Practicum 2 Hours: 4:00 p.m. to 6:00 p.m. Wednesday, 13th April 2022

Instructions

- 1. Write your University registration number on every booklet that you use
- 2. Do not write on the question paper
- 3. All questions are compulsory

1)	is not a symptoms of post-traumatic stress disorder.
a)	Speaking fast
b)	Nightmares
c)	Anxiety
d)	Hyper arousal
2.	tool below is used to assess for depression.
a)	General Anxiety Disorder scale 7
b)	Psl5
c)	Positive and Negative Syndrome scale
d)	Becks Depression Inventory
3.	tool is used to assess for anxiety.
a)	BAI
b)	PSL-5
c)	BDI
d)	Thermometer
4.	In DSM 5, disorders is classified as an Anxiety disorder.
a)	Insomnia
b)	Acute Depression
c)	Obsessive compulsive disorder
d)	Bipolar Mood disorder
5.	In Screening for Alcohol use disorder,tool is quickly administered when gathering history.
a)	ASSIST
b)	AUDIT
c)	CAGE
d)	ASI
6.	A student presents to Chiromo Hospital Group with complaints of insomnia, fatigue, low
	mood, poor appetite for 3 months. I would suspect the student to havedisorder.
a)	Depression
b)	Mild anxiety disorder
c)	Acute stress disorder
d)	Adjustment disorder
7.	A 17-year-old girl presents with low moods, poor sleep, loss of appetite and suicidal ideationtool would you administered.
a)	Patient health questionnaire 9
1	

Section B: Multiple Choice Questions (20 Marks)

- Patient health questionnaire 9 General anxiety depression number 7 ADHD self-rating scale b)
- c)

- d) Penn State worry questionnaire
- 8. A 35-year-old famous musician presents with history of increased energy, talking a lot, dressing in a suggestive manner and flirting a lot with opposite gender. _____tool would be administered.
- a) Positive and negative syndrome scale
- b) Brief psychiatric rating scale
- c) Strength and difficulty questionnaire
- d) Mood disorder questionnaire
- 9. The prevalence of depression according to the world health organization is _____:
- a) 1in 4 people
- b) 2 in 7 people
- c) 1 in 20 people
- d) 3 in 5 people
- 10. A 19-year-old man was recently diagnosed with schizophrenia. A symptom he is been bound not to experience is ______.
- a) Hallucinations
- b) Excitement
- c) Delusions
- d) Disorganized speech
- 11. A 32-year-old lady comes for assessment at Chiromo Hospital group. She says God has been telling her to give her money to the poor and she also beliefs she is the saviour.

However, she has not been experiencing any hallucinations. The disorder she would have is ______.

- a) Depressive disorder
- b) Anxiety disorder
- c) No disorder
- d) Delusional disorder
- 12. In bipolar mood disorder, the following symptoms are present except.....
- a) Elevated mood
- b) Politeness
- c) Agitation
- d) Racing thoughts
- 13. A 12-year-old boy presents with history of suicidal thoughts, social isolation, poor sleep, and secondary bed wetting. The child psychiatrist diagnoses depression. ______tool would be used for diagnostic purposes.
- a) Beck Hopelessness scale
- b) Mood disorder questionnaire
- c) Behaviour Assessment system

- d) Child depression inventory
- 14. ______ symptoms are not present in Anxiety disorders
- a) Hyper arousal
- b) Elevated heat rate
- c) Excess worry
- d) Excess sleep
- a) Person cantered therapy
- b) Family therapy
- c) Psychological first aid
- d) Trauma-focused CBT
- a) Generalized anxiety disorder
- b) Social anxiety disorder
- c) Depression
- d) OCD
- 17. A 60-year-old Retired Investment banker, presents with fatigue and changes in sleep and appetite for 3 days He has stopped going to the social club and likes staying indoors a lot. He recently lost his pet dog. I would screen for _____.
- a) Major depressive disorder
- b) Substance use disorder
- c) Grief
- d) Life Satisfaction
- 18. ______ is not necessary while making a diagnosis.
- a) Cognitive behaviour therapy
- b) Clinical intake
- c) Collaborative information
- d) Diagnostic statistical manual
- e) Psychological assessment tools
- 19. _____ is a psychological tool would you use to evaluate for obsessive compulsive disorder.
- a) GAD 7
- b) Burnout scale
- c) BAI
- d) YBOC

- 20. The acronym ADHD stand for____
- a) Attention delay hypertensive disorder
- b) Anxiety decreased hyperactive disorder
- c) Attention deficit hyperactive disorder
- d) Anhedonia deprived hyperactive disorder

SECTION B: Long Easy Questions (40 Marks)

Q. 21.
a) Outline five reasons for conducting psychological testing
b) Discuss the different components of an intake interview
Q. 22.
a) List and describe five ethical dilemmas in assessment
b) Describe the steps you would take to diagnosis a client with depression
(5 Marks)
(15 Marks)
(15 Marks)